EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(((application or program) near2 (provi$8 or supply$3 or furnish$3)) with ((runtime or (run adj time)) near library) with (version$4 or releas$3)).clm.	US-PGPUB; USPAT	OR	ON	2006/06/29 12:11
L2	1	(((rece$5 or accept$4 or get$4) near3 (request$3 or command or message) near2 (updat$3 or upgrad$3)) with (first near (updat$3 or upgrad$3)) with ((first near (version or release)) near5 (runtime or (run adj time))) with ((second near2 (version or release)) near2 (runtime or (run adj time)) near2 library)).clm.	US-PGPUB; USPAT	OR	ON	2006/06/29 12:13
L3	1	(((second near2 (version or release)) near2 (runtime or (run adj time)) near2 library) with (updat$3 or upgrad$3) with ((second near2 (version or release)) near2 (runtime or (run adj time)) near library)).clm.	US-PGPUB; USPAT	OR	ON	2006/06/29 12:14
L4	1	1 and 2 and 3	US-PGPUB; USPAT	OR	ON	2006/06/29 12:11
L5	3	(((application or program) near2 (provi$8 or supply$3 or furnish$3)) with ((runtime or (run adj time)) near library) with (version$4 or releas$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:13
L6	1	(((rece$5 or accept$4 or get$4) near3 (request$3 or command or message) near2 (updat$3 or upgrad$3)) with (first near (updat$3 or upgrad$3)) with ((first near (version or release)) near5 (runtime or (run adj time))) with ((second near2 (version or release)) near2 (runtime or (run adj time)) near2 library))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:13
L7	1	(((second near2 (version or release)) near2 (runtime or (run adj time)) near2 library) with (updat$3 or upgrad$3) with ((second near2 (version or release)) near2 (runtime or (run adj time)) near library))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:15
L8	5756	((717/168-178) or (707/203) or (715/511) or (719/328,331,332)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/06/29 12:17

EAST Search History

L9	3664	8 and (@ad<"20010724" or @rlad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:19
L10	1	(updat$3 or upgrad$3) near2 (version or release) near2 ((runtime or (run adj time)) near library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:20
L11	1	9 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 12:20

Interference Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(((application or program) near2 (provi$8 or supply$3 or furnish$3)) with ((runtime or (run adj time)) near library) with (version$4 or releas$3)).clm.	US-PGPUB; USPAT	OR	ON	2006/06/29 11:57
L2	1	(((rece$5 or accept$4 or get$4) near3 (request$3 or command or message) near2 (updat$3 or upgrad$3)) with (first near (updat$3 or upgrad$3)) with ((first near (version or release)) near5 (runtime or (run adj time))) with ((second near2 (version or release)) near2 (runtime or (run adj time)) near2 library)).clm.	US-PGPUB; USPAT	OR	ON	2006/06/29 12:06
L3	1	(((second near2 (version or release)) near2 (runtime or (run adj time)) near2 library) with (updat$3 or upgrad$3) with ((second near2 (version or release)) near2 (runtime or (run adj time)) near library)).clm.	US-PGPUB; USPAT	OR	ON	2006/06/29 12:11
L4	1	1 and 2 and 3	US-PGPUB; USPAT	OR	ON	2006/06/29 12:11

Google Scholar BETA

update "version of the runtime library"   1990   - 2001   Search   Ady Sci Sci

(•) Search only in Engineering, Computer Science, and Mathematics.

( ) Search in all subject areas.

Tip: Try removing quotes from your search to get more results.

Your search - **update "version of the runtime library"** - did not match any articles published between **1990** and **2001**.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.
- Try searching in all subject areas.
- Try searching over a larger date range.
- Try your query on the entire web.

Google Home - About Google - About Google Scholar

Google Scholar BETA

- Search only in Engineering, Computer Science, and Mathematics.
- Search in all subject areas.

Scholar Results **51 - 100** of about **4,490 English** pages for **(update OR upgrade) version runtime library**. (I

Memory management with explicit regions - group of 8 »   **All articles** Recent articles
D Gay, A Aiken - Proceedings of the ACM SIGPLAN 1998 conference on ..., 1998
- portal.acm.org
... of Section 3 and cooperates with the **runtime library** to maintain ... We also have a modified
version of our ... writes to local variables never **update** reference counts ...
Cited by 84 - Web Search - Import into BibTeX - Library Search

[BOOK] WWW Interfaces for **Runtime** Relational Database Applications - group of 5 »
JA Stillerman, TW Fredian, M Greenwald - 2000 - psfc.mit.edu
... WWW interfaces for **runtime** relational database applications* ... automatically re-query
the database and **update** their displays ... This **version** erred on the side of too ...
Cited by 3 - View as HTML - Web Search - Import into BibTeX - Library Search

Parallelizing molecular dynamics programs for distributed-memory machines - group of 7 »
YS Hwang, R Das, JH Saltz, M Hodoscek, BR Brooks - Computational Science and Engineering, IEEE [see also
..., 1995 - ieeexplore.ieee.org
... tion code from the sequential **version** of Charmm ... DO Integrate Newton' a equations
and **update** atom coordinates ... that carry out optimizations at **runtime** to reduce ...
Cited by 61 - Web Search - Import into BibTeX - Library Search

Portable profiling and tracing for parallel, scientific applications using C++
S Shende, AD Malony, J Cuny, P Beckman, S Karmesin ... - Proceedings of the SIGMETRICS symposium on
Parallel and ..., 1998 - portal.acm.org
... The **library**'s interface ... to determine the virtual functions actually invoked at **run-
time**, and it ... The measurement **runtime** overhead must be low, so as not to ...
Cited by 70 - Web Search - Import into BibTeX

Run-time compilation for parallel sparse matrix computations - group of 3 »
C Fu, T Yang - Proceedings of the 10th international conference on ..., 1996 - portal.acm.org
... A longer **version** of this paper is [7 ... can call aC function to invoke the **run-time**
optimization ... k) ,k) ; unmark-commute("A" ,k, k) ; task-**update** ("Ar' ,k ...
Cited by 18 - Web Search - Import into BibTeX

Runtime support and compilation methods for user-specified irregular data distributions -
group of 15 »
R Ponnusamy, J Saltz, A Choudhary, YS Hwang, G Fox - IEEE Transactions on Parallel and Distributed Systems,
1995 - doi.ieeecomputersociety.org
... 5 presents a simplified one dimensional **version** of this code ... an element of y and
it may **update** an off ... The project is called CHAOS; the **runtime** support is called ...
Cited by 63 - Web Search - Import into BibTeX - Library Search - BL Direct

IBM Graphical Locale Builder
S Atkin, K Borgendale - 12th International Unicode Conference, 1998 - cs.fit.edu
... of ULS that enables users to **update** locales using ... OS/2 Warp **Version** 4 includes aC
runtime dynamic ... When programming using the C **runtime** internationalization API ...
Cited by 1 - View as HTML - Web Search - Import into BibTeX

[BOOK] **Runtime** compilation techniques for data partitioning and communication schedule reuse - group of 6 »
R Ponnusamy, J Saltz, A Choudhary - 1993 - ACM Press New York, NY, USA
... is within 10% of the hand paralleiized **version**. ... 2. In Section 3, we describe the
run- time technique to ... The project is called CHAOS; the **runtime** support is ...
Cited by 95 - Web Search - Import into BibTeX - Library Search

Survey of Languages and **Runtime** Libraries for Parallel Discrete-Event Simulation - group of 7 »
YH Low, CC Lim, W Cai, SY Huang, WJ Hsu, S Jain, S ... - Simulation, 1999 - cs.utexas.edu
... A sequential **version** of ModSim, MODSIM II [27], was ... comes in the form of **runtime**
over- head ... language routines and linked to a **run- time** synchronization **library** ...
Cited by 18 - View as HTML - Web Search - Import into BibTeX - BL Direct

[PS] Shared Virtual Memory: A Survey
W Shi, W Hu, Z Tang - Center of High Performance Computing, Institute of Computing ..., 1998 - ict.ac.cn
... user level **runtime library** will detect the page ... problem: a tuple must be removed
from the tuple space before an **update**, and the modied **version** is reinserted ...
Cited by 7 - View as HTML - Web Search - Import into BibTeX

[PS] Support for Distributed Dynamic Data Structures in C++ - group of 3 »
C Chang, A Sussman, J Saltz - 1998 - drum.umd.edu
... and the decision of when to **update** a ghost ... In the parallel **version**, a satellite image
is dened as a ... Adaptive **runtime** support for direct simulation Monte Carlo ...
Cited by 11 - View as HTML - Web Search - Import into BibTeX - Library Search

Jovian: a framework for optimizing parallel I/O - group of 7 »
R Bennett, K Bryant, A Sussman, R Das, J Saltz - Scalable Parallel Libraries Conference, 1994., Proceedings ...,
1994 - ieeexplore.ieee.org
... the out-of-core data access descriptor at **runtime**. ... step also involves generat- ing
code to **update** the descriptor ... can have access to a coherent **version** of the ...
Cited by 69 - Web Search - Import into BibTeX - Library Search

[PS] Unify: A scalable approach to multicomputer design - group of 3 »
J Grioen, R Yavatkar, R Finkel - IEEE Computer Society Bulletin of the Technical Committee on ..., 1995 -
dcs.uky.edu
... Total **Runtime** (Seconds ... at the gateways) due to the lockstep synchronization and **update**
exchange at ... which does not occur in the sequential access **version** due to ...
Cited by 15 - View as HTML - Web Search - Import into BibTeX

VFC: The Vienna Fortran Compiler
S Benkner - Scientific Programming, 1999 - IOS Press
... UPDATE_HALO results in communication to **update** the halo ... work distribution and index
con- **version** has to be ... by introducing appropriate calls to **runtime** li- brary ...
Cited by 57 - Web Search - Import into BibTeX - BL Direct

[PS] Software Distributed Shared Memory over Virtual Interface Architecture: Implementation and ... - group of 5 »
M Rangarajan, L Iftode - Proc. Third Extreme Linux Workshop, 2000 - cs.rutgers.edu
... Software DSM is a **runtime** system that provides the shared address space abstraction ...
the di from the di buer onto the page and **update** the **version** of the page ...
Cited by 34 - View as HTML - Web Search - Import into BibTeX

An Experimental Testbed for Embedded Real Time Ada 95
WMWRT Woolley, A Burns - Ada Letters, 1999 - portal.acm.org
... should be relatively easy to **upgrade** the embedded ... involve building a cross compiling

version of the ... embedded kernel that provides the **runtime** services required ...
Web Search - Import into BibTeX

[BOOK] High Performance Support for OO Traversals in Monet - group of 5 »
PA Boncz, F Kwakkel, ML Kersten - 1995 - wins.uva.nl
... It measures traversal-, **update-** and query evaluation performance for ... A **version** of
Monet designed to exploit e ... an ODL parser and an ODMG **runtime library** to be ...
Cited by 18 - View as HTML - Web Search - Import into BibTeX - Library Search

Status of the Object-oriented EGS Interface Project - group of 2 »
AM Yacout, WL Dunn, WR Nelson, P Lui, AF Bielajew, ... - KEK PROCEEDINGS, 2000 - ccwww.kek.jp
... a multi-institutional eort to signicantly **upgrade** the EGS4 ... A new **version** of EGS,
EGS5, is being developed ... classes that can also be linkedat **runtime** is included ...
View as HTML - Web Search - Import into BibTeX - BL Direct

Automating the Construction of Replicated Objects in a Cluster of Workstations - group of 4 »
W Zhou, L Wang - Cluster Computing and the Grid, 2001. Proceedings. First ..., 2001 -
doi.ieeecomputersociety.org
... HostName, String IPAddress); **update** public void updateHostName (String OldHost,
String NewHost); **update** public void ... HNS.java rgidlgen RGIDL **runtime library** ...
Web Search - Import into BibTeX

Enhancing software DSM for compiler-parallelized applications - group of 16 »
P Keleher, CW Tseng - Proceedings of the 11th International Parallel Processing ..., 1997 -
doi.ieeecomputersociety.org
... parallelizing compilers and so- phisticated **runtime** systems presents ... 3. selectively
use an **update** flush protocol ... implements a multiple-writer **version** of lazy ...
Cited by 48 - Web Search - Import into BibTeX

Improving Compiler and Run-Time Support for Irregular Reductions Using Local Writes - group
of 4 »
H Han, CW Tseng - Proceedings of the 11th International Workshop on Languages ..., 1998 - Springer
... for reductions, as well as a flush-**update** protocol that ... we also wrote explicitly
parallel programs using a **version** of the CHAOS **run-time** system implemented ...
Cited by 8 - Web Search - Import into BibTeX - BL Direct

Efficient compiler and run-time support for parallel irregular reductions - group of 7 »
H Han, CW Tseng - Parallel Computing, 2000 - arcs.kaist.ac.kr
... f(xm], xn]) // computation yn] += force // **update** edge ym ... prefetches it to reduce
latency.At **runtime**,thecontents of ... was pioneered by the CHAOS **run-time** system 5 ...
Cited by 20 - View as HTML - Web Search - Import into BibTeX

[PS] Interactive instrumentation and tuning of OpenMP programs - group of 2 »
MJ Voss, KW Yau, R Eigenmann - Proc. of PDPTA 2000 (Parallel and Distributed Processing ..., 2000 -
min.ecn.purdue.edu
... the interactive selection of the **runtime library** used for ... as well as requests to
update tunable variables. ... OMPcl is a completely overhauled **version** of the PCL. ...
Cited by 3 - View as HTML - Web Search - Import into BibTeX

[PS] Parallelization Techniques for Sparse Matrix Applications - group of 3 »
M Ujaldon, EL Zapata, SD Sharma, JH Saltz - Journal of Parallel and Distributed Computing, 1996 - bmi.osu.edu
... **time** preprocessing overheads when references with multiple levels of indirection
are ... This paper outlines the SAR approach and describes its **runtime** support ...
Cited by 22 - View as HTML - Web Search - Import into BibTeX - BL Direct

Adaptive reduction parallelization techniques - group of 7 »

H Yu, L Rauchwerger - Proceedings of the 14th international conference on ..., 2000 - portal.acm.org
... type of reduc- tion is sometimes called an **update**. ... static (com- piler) and dynamic
(run-time) methods and ... the most appropriate scheme from a **library** of already ...
Cited by 42 - Web Search - Import into BibTeX

A Mechanism for **Runtime** Evolution of Objects - group of 2 »
Y Sugiyama - Proc. of IWPSE'99, 1999 - dontaku.csce.kyushu-u.ac.jp
... mechanism that allows versions of **library** functions to be ... receives a request to **update**
the object ... phase of implementing the **runtime version** management mechanism ...
Cited by 3 - View as HTML - Web Search - Import into BibTeX

Runtime software reorganization by traditional OS features - group of 2 »
L Nagamatsu - Principles of Software Evolution, 2000. Proceedings. ..., 2000 - doi.ieeecomputersociety.org
... In figure 1, stepwise procedure to **update** a dynam ... In this paper, the possibility
of **runtime** / on-line mod ... event handler for checking **version** updating occurrences ...
Cited by 4 - Web Search - Import into BibTeX

The Run-Time Implementation Language for Icon - group of 8 »
K Walker - 1994 - custom.lab.unb.br
... and type-specification language, and a slightly extended **version** of C ... full path name
of /usr/icon/v9/src/**runtime**/Makefile ... object code librarian **run-time library** ...
Cited by 11 - View as HTML - Web Search - Import into BibTeX

The same-source parallel MM5 - group of 4 »
J Michalakes - Scientific Programming, 2000 - IOS Press
... for-lineiden- tical with the original, preparallelized **version**. ... used to **update** extra
memory regions around the ... is a Fortran-callable parallel **runtime** system li ...
Cited by 11 - Web Search - Import into BibTeX - BL Direct

Automatic parallelization for symmetric shared-memory multiprocessors - group of 4 »
JH Chow, LE Lyon, V Sarkar - Proceedings of the 1996 conference of the Centre for ..., 1996 - portal.acm.org
... SPMD interface to the parallel **run-time library** that com ... of the prototype SMP compiler
and **runtime** sys- tem ... decided upon, are the HIL **update** functions actually ...
Cited by 9 - Web Search - Import into BibTeX

Proteus: a **runtime** reconfigurable distributed shared memory system - group of 5 »
JC Ueng, CK Shieh, WH Liu, CC Lin - High Performance Distributed Computing, 1999. Proceedings. ..., 1999 -
ieeexplore.ieee.org
... Furthertitore, a forced **update** technique arid a set of scalable sytichronizatioit ...
Proteus consists of a set of **runtime library** that provides a shared address ...
Web Search - Import into BibTeX

The Data Mover: A machine independent abstraction for managing customized data motion - group of 6 »
S Baden, S Fink - Proceedings of Languages and Compilers for Parallel ..., 1999 - Springer
... message packetization, to handle flow control; or **update** forms of ... time in the
hand-coded NAS **version** in time ... built on top of MPI, provides **runtime** support for ...
Cited by 12 - Web Search - Import into BibTeX - BL Direct

Monitors and exceptions: how to implement Java efficiently - group of 9 »
A Krall, M Probst - Concurrency - Practice and Experience, 1998 - doi.wiley.com
... this question,we have used a modified **version** of kaffe ... **Runtime** checks for null pointers
and array bounds are ... used to restore the registers and **update** the stack ...
Cited by 43 - Web Search - Import into BibTeX

[PS] A multithreaded **runtime** environment with thread migration for a HPF data-parallel

compiler
L BougØ, P Hatcher, R Namyst, C Perez - 1998 - ens-lyon.fr
... The second one is a modied **version** of the ... Rule (OCR): the computation necessary to
update a slice ... code crucially depends on the eciency of the **runtime library**. ...
Cited by 2 - View as HTML - Web Search - Import into BibTeX

Mapping Data to Processors in Distributed Memory Computations
M Rosing, RP Weaver - Distributed Memory Computing Conference, 1990., Proceedings ..., 1990 -
ieeexplore.ieee.org
... but can adjust the mappings automatically at **runtime**[2]. Spot ... that the programmer
may wish to **update** that value ... of two parts, a compiler and a **run time library**. ...
Cited by 7 - Web Search - Import into BibTeX - Library Search

Making the Fortran-to-C transition: how painful is it really? - group of 4 »
G Theurich, B Anson, NA Hill, A Hill - Computing in Science & Engineering [see also IEEE ..., 2001 -
ieeexplore.ieee.org
... then is it possible for our C **version** to be ... these parameters from a file at **runtime**
and using ... 6. J. Morrissey, "FORTRAN 95 Should You **Upgrade**?" Desktop Eng ...
Cited by 4 - Web Search - Import into BibTeX - BL Direct

Language support for regions - group of 11 »
D Gay, A Aiken - Proceedings of the ACM SIGPLAN 2001 conference on ..., 2001 - portal.acm.org
... 3.2 Type Annotations Our previous **version** of C-with-regions, C ... and traditional pointers
only need one of the **runtime** checks of ... (a) Reference count **update** for *p ...
Cited by 76 - Web Search - Import into BibTeX - BL Direct

An Automatic and Symbolic Parallelization System for Distributed Memory Parallel Computers
K Ikudome, GC Fox, A Kolawa, JW Flower - Distributed Memory Computing Conference, 1990., Proceedings ...,
1990 - ieeexplore.ieee.org
... by the addition of suitable calls to the **runtime library**. ... we have adopted the Express
runtime system for ... micro-" and "macro-" stencils from **update** scheme ...
Cited by 49 - Web Search - Import into BibTeX

JavaGenes and Condor: cycle-scavenging genetic algorithms
E Langhirt, M Livny, R Ramamurthy, M Solomon, S ... - Proceedings of the ACM 2000 conference on Java
Grande, 2000 - portal.acm.org
... network by communicating with a Java **version** of the ... however, save anything from the
runtime stack -- that is ... responsibility of the application to **update** the non ...
Web Search - Import into BibTeX

[PS] Unified Compilation of Fortran 77D and 90D. - group of 2 »
AN Choudhary, G Fox, S Hiranandani, K Kennedy, C ... - LOPLAS, 1993 - cs.umd.edu
... to acquire non-local values, and after the loop to **update** or merge non ... For this **version**
of Jacobi, we measured improvements of up to 50% for ... 5. **RUN-TIME LIBRARY** ...
Cited by 13 - View as HTML - Web Search - Import into BibTeX

HPF+ investigations with crash-simulation kernels - group of 4 »
G Lonsdale, F Zimmermann, J Clinckemaillie, S ... - Massively Parallel Programming Models, 1997. Proceedings.
..., 1997 - doi.ieeecs.org
... the additional acceleration-velocity-displacement **update** (as described ... direct calls
to the **runtime library** (inserted by ... and the development **version** of Adaptor ...
Cited by 1 - Web Search - Import into BibTeX

CRAUL: Compiler and run-time integration for adaptation under load [1] This work was supported in ... - group of 4 »
S Ioannidis - Scientific Programming, 1999 - IOS Press

... and Cashmere were compiled with gcc **version** 2.7.2.1 ... implementation (Plain) would
have each process **update** a part ... CRAUL: Compiler and **run-time** integration for ...
Cited by 7 - Web Search - Import into BibTeX - BL Direct

Practical data breakpoints: design and implementation
R Wahbe, S Lucco, SL Graham - ACM SIGPLAN Notices, 1993 - portal.acm.org
... write instruction in the program that might **update** that memory location. ... Our system
consists of a program analysis tool and a **runtime library**. ...
Cited by 30 - Web Search - Import into BibTeX - BL Direct

[PS] Parallelization of Irregular Out-of-Core Applications for Distributed-Memory Systems - group of 2 »
P Brezany, A Choudhary, M Dang - High-Performance Computing and Networking, 1997 - par.univie.ac.at
... and 4) Scatter data to **update** non-local ... Technical Report **Version** 1.0, Institute for
Software Technology ... **Runtime** Support and Compilation Methods for Irregular ...
Cited by 7 - View as HTML - Web Search - Import into BibTeX - BL Direct

HPF on Fine-Grain Distributed Shared Memory: Early Experience - group of 7 »
S Chandra, JR Larus - Proceedings of the Ninth Workshop on Languages and Compilers ..., 1996 - cs.wisc.edu
... the HPF program—they contain no **runtime** parallelism overhead. ... in HPF, using an ascii
version of the ... although we have not demonstrated **update**-based protocols ...
Cited by 7 - View as HTML - Web Search - Import into BibTeX - BL Direct

[PS] 'Molecular Dynamics with C++. An object oriented approach' - group of 4 »
M Muller - Workshop on Parallel Object-Oriented Scientific Computing, ..., 1999 - ica1.uni-stuttgart.de
... was designed to have no or only a minimal **runtime** overhead while ... In the basic **version**
of the template container all communication is done in **update** . ...
Cited by 3 - View as HTML - Web Search - Import into BibTeX - BL Direct

Evaluating the Performance Limitations of MPMD Communication - group of 7 »
CC Chang, G Czajkowski, T von Eicken, C Kesselman - Supercomputing, ACM/IEEE 1997 Conference, 1997 -
ieeexplore.ieee.org
... atomic reads and writes to access and **update** the remote ... In the CC++ **version** (cc-lu),
the one-way stores and ... Threads **Runtime** (us) Time (us) AM (us) **Runtime** (us) ...
Cited by 3 - Web Search - Import into BibTeX

## FTL: a multithreaded environment for parallel computation - group of 2 »
I Kalas, E Arjomandi, GR Gao, BO'Farrell - Proceedings of the 1994 conference of the Centre for ..., 1994 -
portal.acm.org
... Next we **update** the top neighbor. ... The **runtime** management facilities deal with the
program startup, the ... processors running the AIX 6 **Version** 3 operat- ingsystem ...
Cited by 3 - Web Search - Import into BibTeX

Client Server Computing on the SHRIMP Multicomputer
S Damianakis, A Bilas, C Dubnicki, EW Felten - IEEE Micro, February, 1997 - ics.forth.gr
... transfer is already initiated (automatic **update**) and the ... we implemented a non-compatible
version of remote ... The stub generator and **runtime library** were designed ...
Cited by 2 - View as HTML - Web Search - Import into BibTeX

[PS] Irregular and Out-of-Core Parallel Computing on Clusters - group of 3 »
P Brezany, M Bubak, M Malawski, K Zajac - Proceedings of the thInternational Conference on Parallel ..., 2001 -
galaxy.uci.agh.edu.pl
... communication patterns and data copy/**update** schemes, and ... R. Ponnusamy et al., CHAOS
runtime library. ... The PARTY Partitioning-**Library**, User Guide - **Version** 1.1. ...
View as HTML - Web Search - Import into BibTeX - BL Direct

◀ Goooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 1011 **Next**

| (update OR upgrade) version runtim | Search |

Google Home - About Google - About Google Scholar

©2006 Google

Google™
Scholar ○ BETA

⊙ Search only in Engineering, Computer Science, and Mathematics.

○ Search in all subject areas.

Scholar Results **1 - 100** of about **1,920** for <u>update</u> <u>hosting</u> runtime <u>services</u> . (0.29 seconds)

Flexible security policies for mobile agent systems - group of 3 »   **All articles** Recent articles
R Montanari, C Stefanelli, N Dulay - Microprocessors and Microsystems, 2001 -
osprey.unisa.ac.za
... the applications, thus making dif®cult policy **update**. ... at each intermediate execution
host and submits a ... for distributing policies to **runtime** relevant entities ...
Cited by 21 - View as HTML - Web Search

Architecture-based **runtime** software evolution - group of 16 »
P Oreizy, N Medvidovic, RN Taylor - Software Engineering, 1998. Proceedings of the 1998 (20th) ..., 1998 -
ieeexplore.ieee.org
... software systems that require dynamic **update** generally adopt ad ... network traffic back
to the original **host**. ... for loading new modules during **runtime** and invoking ...
Cited by 260 - Web Search - Library Search - BL Direct

[PS] An Introduction to the High Level Architecture (HLA) **Runtime** Infrastructure (RTI)
JO Calvin, R Weatherly - 15th Workshop on Standards for the Interoperability of ..., 1996 - dss.ll.mit.edu
... 2 THE **RUNTIME** INFRASTRUCTURE (RTI) ... Tank moves turret send entity state PDU **Update**
Attribute Value (turret ... on the DIS assigned site number and the **host** number. ...
Cited by 19 - View as HTML - Web Search

[DOC] ORBWork: A CORBA-Based Fully Distributed, Scalable and Dynamic Workflow Enactment Service for METEOR - group of 2 »
KJ Kochut, AP Sheth, JA Miller - Large Scale Distributed Information Systems Lab, Department ..., 1999 -
lsdis.cs.uga.edu
... schedulers reload their specifications and **update** their configurations ... reducing the
load on the **host** system(s ... schedulers and their possible migration at **runtime**. ...
Cited by 22 - View as HTML - Web Search

A flexible access control service for Java mobile code - group of 2 »
A Corradi, R Montanari, E Lupu, M Sloman, C ... - Computer Security Applications, 2000. ACSAC'00. 16th Annual
..., 2000 - ieeexplore.ieee.org
... reconfiguration and facilitates the **update** of authorisation ... memory-reference
manipulations, and **runtime**-supported memory ... behaviour that the **hosting** node can ...
Cited by 10 - Web Search

Web **Services** Conceptual Architecture (WSCA 1.0) - group of 14 »
H Kreger - IBM Software Group, 2001 - uddi-russia.org
... the WSDL document describing the **service** to a **host** local WSDL ... and make it available
to the application at **runtime** qualifies as **service** discovery. ...
Cited by 142 - View as HTML - Web Search

Dynamic load sharing **services** with OSF DCE
SSB Shi, DDH Lin, CS Yang - ... 1994. Proceedings., First International Workshop on **Services** ..., 1994 -
ieeexplore.ieee.org
... the binding of the least loaded **host** in front ... Then, the RPC **runtime** will return the
server binding ... reduce the overhead incurred by workload information **update**. ...
Web Search

Implementing jalapeño in Java - group of 3 »
B Alpern, M Mergen, CR Attanasio, A Cocchi, D ... - ACM SIGPLAN Notices, 1999 - portal.acm.org
... it is necessary to overwrite (back-patch) the original ... to this approach is that
frequently used **runtime services** can be ... pay a price to support **host** operat- ing ...
Cited by 134 - Web Search - BL Direct

SPINE: a safe programmable and integrated network environment - group of 6 »
ME Fiuczynski, RP Martin, T Owa, BN Bershad - Proceedings of the 8th ACM SIGOPS European workshop on
..., 1998 - portal.acm.org
... metadata for window coordinates, size, etc., b) **update** the metadata ... handlers with
the SPINE I/O **runtime**, and are ... a message arrives either from the **host** or the ...
Cited by 37 - Web Search

[PS] Apoptosis-the programmed death of distributed **services** - group of 5 »
C Tschudin - Secure Internet Programming, 1999 - user.it.uu.se
... This also includes the **update** of software because of changes ... we do not care about
having the **host** executing a ... easy with which code can be generated at **runtime**. ...
Cited by 11 - View as HTML - Web Search - BL Direct

[PS] Java Mobile Agent for monitoring task: evaluation report - group of 2 »
M Caprini, R Nacasch, Z Qian - Atlas DAQ, 1998 - rd13doc.cern.ch
... Mobile Objects : Objects can be moved at **runtime** from one virtual machine to another. ...
New Catalog : user can **update** Catalog at **run-time** ... Multi **Host** Cmd : user ...
Cited by 2 - View as HTML - Web Search

Distributed application development for three-tier architectures: Microsoft on Windows DNA -
group of 2 »
GR Voth, C Kindel, J Fujioka - Internet Computing, IEEE, 1998 - ieeexplore.ieee.org
... caching, **update**, data marshaling, dis- tributed transactions ... of development tools
and **runtime services** for automatically ... CICS or other **host** processing monitors. ...
Cited by 12 - Web Search

Directory requirements for a multidatabase service
P Martin, M Bauer, N Coburn, P Larson, G Neufeld, ... - Proceedings of the 1992 conference of the Centre for ...,
1992 - portal.acm.org
... **Runtime** requests for catalog data must be handled quickly . ... negative effects upon
the performance of **update** transactions. ... colum n RDN for a site **hosting** a CDBS ...
Cited by 7 - Web Search

Adaptability, extensibility and flexibility in real-time operatingsystems - group of 8 »
P Kuacharoen, T Akgul, VJ Mooney, VK Madisetti - Digital Systems, Design, 2001. Proceedings. Euromicro ...,
2001 - ieeexplore.ieee.org
... Therefore, **runtime** linking can be done with a few ... on three corresponding graphs on
the **host** machine ... The fourth task requests the kernel to **update** the scheduler ...
Cited by 1 - Web Search

DACIA: a mobile component framework for building adaptive distributed applications - group of
2 »
R Litiu, A Prakash - ACM SIGOPS Operating Systems Review, 2001 - portal.acm.org
... connects to an engine running on **host** hostname, listening ... If **update** is true, upon
connecting, the engines ... our case an application graph can change at **runtime**. ...
Cited by 18 - Web Search - BL Direct

[PS] A Problem Solving Environment for Network Computing - group of 2 »
S Hariri, H Topcuoglu, W Furmanski, D Kim, Y Kim, ... - IEEE Computer Society, 1998 - ece.arizona.edu
... developers at- tempting to port and **update** the existing ... path of the task executable)

for each **host** in the ... ing phase, and application execution and **runtime** phase ...
Cited by 9 - View as HTML - Web Search

Microsoft Transaction Server - group of 5 »
R Limprecht - Compcon'97. Proceedings, IEEE, 1997 - doi.ieeecomputersociety.org
... The application components **update** that state to ... process environments can also **host**
application components. ... programming model and **runtime** execution environment ...
Cited by 3 - Web Search - BL Direct

Mobile agent middleware for mobile computing - group of 3 »
P Bellavista, A Corradi, C Stefanelli - Computer, 2001 - ieeexplore.ieee.org
... **services** to automatically maintain and **update** bindings to ... at the "user home"—a fixed
host where the ... resources and **services** at **runtime**, enabling complex ...
Cited by 93 - Web Search - BL Direct

[PS] Approaches to RTI Implementation of HLA Data Distribution Management **Services** - group of 3 »
DJ Van Hook, SJ Rak, JO Calvin - Proceedings of the 15 thDIS Workshop, 1996 - dss.ll.mit.edu
... DoD) High Level Architecture (HLA) **RunTime** Infrastructure (RTI ... in the network
infrastructure and in **host** I/O ... The group for each **update** region is determined by ...
Cited by 23 - View as HTML - Web Search

Agent Server Technology for Next Generation of Web Applications - group of 4 »
G Yamamoto, H Tai - Computational Intelligence and Multimedia Applications, 2001 ..., 2001 -
doi.ieeecomputersociety.org
... **Services** for a user usually read and **update** the ... each individual user, an agent server
must **host** and control activities of many agents. ... 3.2 **Runtime** Support ...
Cited by 4 - Web Search

Java Instrumentation Suite: Accurate Analysis of Java Threaded Applications - group of 16 »
J Guitart, J Torres, E Ayguadé, J Oliver, J ... - Proc. of the Second Annual Workshop on Java for High- ..., 2000 -
bsc.es
... by the operating system that is **hosting** the virtual ... linked executables can be extended
at **runtime** with unforeseen ... event in the trace and/or to an **update** of the ...
Cited by 15 - View as HTML - Web Search

[PS] Design Issues for the High Level Architecture (HLA) Run-Time Infrastructure (RTI) Prototype Version ...
S McGarry, PN DiCaprio, A Wilson, R Weatherly - Proceedings of the 14th Workshop on Standards for the ...,
1996 - dss.ll.mit.edu
... The High Level Architecture **Runtime** Infrastructure has undergone two ... Application
Gateway (HPAG), the Agent **Host** (AH), and ... VERSION 0.2 **UPDATE** ATTRIBUTE VALUES ...
Cited by 3 - View as HTML - Web Search

A unified relational approach to grid information **services** - group of 19 »
P Dinda, B Plale - Grid Forum Informational Draft GWD-GIS-012, 2001 - cs.nwu.edu
... For example, a **host** is an entity for ... irrespective of qualities like frequent **update**
rate that ... their dynamic properties usually necessitate **run-time** adaptation. ...
Cited by 37 - View as HTML - Web Search

[PS] elements within the existing system. We are also examining inclusion of run-time estimates for ... - group of 4 »
A Applications - IEEE Transactions on Computers, 1991 - ida.his.se
... to RTDBs', namely INSERT, DELETE, **UPDATE**, and SELECT ... Finding out the **host** machine
which the relation ... and even dynamically changing the policy during **runtime**. ...
View as HTML - Web Search

Managing application **services** over service provider networks: architecture and dependency analysis - group of 5 »

G Kar, A Keller, S Calo, IBMTJWR Center, NY ... - Network Operations and Management Symposium, 2000.
NOMS 2000 ..., 2000 - ieeexplore.ieee.org
... to be operable for the content **hosting service** to be ... at application install time
and those discovered at **runtime**. ... server" comp-id = "I' **update** = 0 name = "bos ...
Cited by 28 - Web Search

Runtime software reorganization by traditional OS features - group of 2 »

L Nagamatsu - Principles of Software Evolution, 2000. Proceedings. ..., 2000 - doi.ieeecomputersociety.org
... In figure 1, stepwise procedure to **update** a dynam ... In this paper, the possibility
of **runtime** / on-line mod ... J.Kelly and Malcolm John Wing, "**Host** Mi- croprocessor ...
Cited by 4 - Web Search

The Open **Services** Gateway Initiative: an introductory overview - group of 9 »

D Marples, P Kriens - Communications Magazine, IEEE, 2001 - ieeexplore.ieee.org
... Support: OSGi environ- ments are capable of **hosting** multiple applica ... Install, start,
stop, **update**. ... to select an available implementation at **runtime** through the ...
Cited by 56 - Web Search - BL Direct

[BOOK] Programming Open Service Gateways With Java Embedded Server Technology

K Chen, L Gong - 2001 - books.google.com
... 5 1.3.2 A New Application Environment 81.4 Java Embedded Server Technology 91.5
The Open **Services** Gateway Initiative ... 3.6 Cooperation among Bundles and **Services** ...
Cited by 22 - Web Search - Library Search

A Detailed Comparison of Enterprise JavaBeans (EJB) & The Microsoft Transaction Server (MTS) Models - group of 4 »

GS Raj - Web Cornucopia, 1998 - my.execpc.com
... typically execute in a separate **host** process provided ... At **runtime**, the EJB container
automatically implements transaction ... They can **update** data in an underlying ...
Cited by 4 - Cached - Web Search

High performance distributed objects using caching proxies forlarge scale applications - group of 4 »

P Martin, V Callaghan, A Clark - Distributed Objects and Applications, 1999. Proceedings of ..., 1999 -
ieeexplore.ieee.org
... Also, the **runtime** code of MinORB has been carefully ... weak- consistency and server
initiated **update** mechanisms. ... leading to an objects-per-**host** limitation and a ...
Cited by 13 - Web Search

DCE Directory **Services**

MM Kong, D Truong - Hewlett-Packard Journal, 1995 - hpl.hp.com
... that manages the master replica propagates the **update** to all ... RPC NSI rou tines in
the DCE **runtime** library. ... interacts with a daemon on the local **host** called the ...
Cited by 2 - View as HTML - Web Search

Performance evaluation of an agent server capable of **hosting** large numbers of agents

G Yamamoto, H Tai - Proceedings of the fifth international conference on ..., 2001 - portal.acm.org
... Capable of **Hosting** Large Numbers of Agents ... 3.2 **Runtime** Because an agent server serves
many users, many ... of 10 characters and an integer used as an **update** counter ...
Cited by 9 - Web Search

Mawl: a domain-specific language for form-based **services** - group of 8 »

DL Atkins, T Ball, G Bruns, K Cox - Software Engineering, IEEE Transactions on, 1999 - ieeexplore.ieee.org
... flow of a **service** and the **update** of **service** ... Currently supported **host** languages are

C++ [22] and Standard ML ... Mawl **service** is linked with a **run-time** library to ...
Cited by 45 - Web Search - BL Direct

Mobile Agent Security and Telescript - group of 6 »
J Tardo, L Valente - Proceedings of IEEE COMPCON, 1996 - doi.ieeecomputersociety.org
... it provides a networking platform capable of **hosting** "intelligent" dis ... 5.0 Object
Runtime Safety ... An agent cannot patch or re-install a class that is already ...
Cited by 112 - Web Search - BL Direct

A global computing environment for networked resources - group of 4 »
H Topcuoglu, S Hariri - Proceedings of International Conference on Parallel ..., 1997 -
doi.ieeecomputersociety.org
... Store resource allocation informationfor task i . **Update** the ready ... path of the task
executable for each **host**. ... The VDCE **Runtime** System separates control and ...
Cited by 3 - Web Search - BL Direct   .

[BOOK] Dynamic Dependencies in Application Service Management - group of 5 »
A Keller - 2000 - domino.watson.ibm.com
... and those that relate to components within one **host**. ... install time and those discov-
ered at **runtime**. ... lpp_name = "bos.net.tcp.server" **update** = 0 name = "bos.net ...
Cited by 7 - View as HTML - Web Search - Library Search

Studying the Performance of the FX! 32 Binary Translation System - group of 2 »
PJ Drongowski, D Hunter, M Fayyazi, D Kaeli, J ... - the Proceedings of the 1st Workshop on Binary Translation,
..., 1999 - ece.neu.edu
... the PALcode returns to the patch section at ... assuming compatible cache behavior between
host architectures an ... and translated code calls **runtime services** in the ...
Cited by 4 - View as HTML - Web Search

Providing a differentiated quality of service in a World Wide Web server - group of 3 »
N Vasiliou, H Lutfiyya - ACM SIGMETRICS Performance Evaluation Review, 2000 - portal.acm.org
... the specified Auxiliary Fun- tion; **update** the resource ... can also be exter- nally managed
at **runtime**. ... Differentiated Levels of **Service** in Web Content **Hosting**. ...
Cited by 18 - Web Search

Context-sensitive object request broker for ubiquitous computing environments - group of 6 »
SS Yau, F Karim - Distributed Computing Systems, 2001. FTDCS 2001. Proceedings ..., 2001 -
ieeexplore.ieee.org
... interoperability, application development support, and **runtime services** that are ...
adding location-aided tuple **update** and reaction ... in contact with the **host** device ...
Cited by 8 - Web Search

Automating the Construction of Replicated Objects in a Cluster of Workstations - group of 4 »
W Zhou, L Wang - Cluster Computing and the Grid, 2001. Proceedings. First ..., 2001 -
doi.ieeecomputersociety.org
... OpType ::= 'query' j '**update**' OrderConstraint ::= 'total ... style (PP and PB), the
MemberList, the **host** name and ... 3.2 The Preprocessor and **Runtime** System ...
Web Search

.NET is coming [Microsoft Web services platform] - group of 15 »
B Meyer - Computer, 2001 - ieeexplore.ieee.org
... Fortran, Perl, Python, Smalltalk, and a **host** of research ... ASP.NET is not an incremental
update of the ... to the internal object model and common language **runtime**. ...
Cited by 24 - Web Search

The "QoS query service" for improved quality-of-servicedecision making in CORBA - group of

<u>5 »</u>
APA Van Moorsel - Reliable Distributed Systems, 1999. Proceedings of the 18th ..., 1999 - ieeexplore.ieee.org
... and **services** populate and continuously **update** the database ... activated collectors and
evaluators and the **host** names in ... this, Figure 5 shows a **run-time** screen dump ...
Cited by 3 - Web Search - BL Direct

<u>Client Side Reconfiguration on Software Components for Load Balancing</u> - group of 8 »
E Putrycz, G Bernard - Distributed Computing Systems Workshop, 2001 International ..., 2001 - doi.ieeecs.org
... most important parameter for performance on the component **runtime**. ... with the clients
Connectors to **update** their replicated ... a component to a remote **host** to free ...
Cited by 6 - Web Search

<u>Symphony: An Infrastructure for Managing Virtual Servers</u> - group of 4 »
R Friedman, E Biham, A Itzkovitz, A Schuster - Cluster Computing, 2001 - Springer
... run under, as well as the **runtime** environments it ... the global part, and can periodically
update local entities ... other **services**) about changes in the local **host**. ...
Cited by 8 - Web Search - BL Direct

<u>FARA-a framework for adaptive resource allocation in complexreal-time systems</u> - group of 4 »
D Rosu, K Schwan, S Yalamanchili - Real-Time Technology and Applications Symposium, 1998. ..., 1998 -
ieeexplore.ieee.org
... and mechanisms that enable integrated, **runtime** adaptation and ... parametersandquality
metrics eg, a **host** system might oer ... New Request **Update** Request QoS Failures ...
Cited by 52 - Web Search

<u>Introducing new Internet **services**: why and how</u> - group of 4 »
D Wetherall, D Legedza, J Guttag, C MIT - Network, IEEE, 1998 - ieeexplore.ieee.org
... Online Auctions Web servers **hosting** online auctions are ... nearby network nodes and
periodically **update** them with ... nodes that execute a common **run- time**; the nodes ...
Cited by 142 - Web Search - BL Direct

<u>Design and implementation of network **services** that provide end-to-end QoS in ATM-based
real-time ...</u> - group of 2 »
CJ Hou, CC Han, HY Tyan, B Wang, Y Ye - Digital Avionics Systems Conference, 1997. 16th DASC., AIAA/ ...,
1997 - ieeexplore.ieee.org
... In the **runtime** message transmission phase, the communi- cation subsystem at each
host is responsible for **run-time** end- terfaces. Admission control ...
Web Search

<u>Enabling Active Networks **services** on a Gigabit Routing Switch</u>
P Wang, R Jaeger, R Duncan, T Lavian, F Travostino - ... Workshop on Active Middleware **Services** in
conjunction with ..., 2000 - openetlab.org
... traditional nodes unsuitable for **hosting** the deployment ... 2 consists of the Oplet **Runtime**
Environment (ORE ... manages to install, activate, **update**, deactivate, kill ...
Cited by 5 - View as HTML - Web Search - BL Direct

<u>Developing adaptive groupware applications using a mobile component framework</u> - group of 7
»
R Litiu, A Parakash - Proceedings of the 2000 ACM conference on Computer supported ..., 2000 - portal.acm.org

... **service** that performs **runtime** adaptation **update** [hostname/all ... client, or on any other
host with a ... application structure could change at **runtime**, according to ...
Cited by 39 - Web Search

<u>An Architecture-based Approach Substantiating Interagent Connections in Platforms</u> - group of
4 »

M Kupries, E Horn - Distributed Computing Systems Workshop, 2001 International ..., 2001 - doi.ieeecs.org
... at **run time**, **services** have to reflect and to ensure the **update**. ... **Runtime** Environment ...
6 illustrates ADE's layer architecture **hosting** the prefabricated building ...
Web Search

Dual objects—an object model for distributed system programming - group of 8 »

J Nolte, W Schröder-Preikschat - Proceedings of the 8th ACM SIGOPS European workshop on ..., 1998 -
portal.acm.org
... clerk of the domain selected to **host** the new ... fit into a single packet the **update**
protocol is a ... still needs significantly more control over **runtime** issues than ...
Cited by 11 - Web Search

Adaptable and adaptive information provision for all users, including disabled and elderly people - group of 4 »

J Fink, A Kobsa, A Nill - The New Review of Hypermedia and Multimedia, 1998 - ics.uci.edu
... based on monitoring the users' interaction during **runtime** are called ... Support for
hosting the models of ... as navigation behavior is exploited to **update** the user ...
Cited by 61 - View as HTML - Web Search - BL Direct

Architectural support for quality of service for CORBA objects - group of 8 »

JA Zinky, DE Bakken, RE Schantz - Theory and Practice of Object Systems, 1997 - doi.wiley.com
... on a WAN with restricted bandwidth, the **update** queue overflows ... **Run time**: the user
decides which plan objects to view ... QoS measured by the QuO **runtime** system ...
Cited by 383 - Web Search

Performance Signatures: A Mechanism for Intrusion Detection

DL Oppenheimer, MR Martonosi - Proceedings of the 1997 IEEE Information Survivability ..., 1997 -
cs.berkeley.edu
... with different tradeoffs between statistics detail and **runtime** overhead. ... We assume
that the system developing the patch (the "security **host**") has source ...
Cited by 12 - Cached - Web Search

A software architecture for open service gateways - group of 3 »

L Gong - Internet Computing, IEEE, 2001 - ieeexplore.ieee.org
... let residential gateways from different vendors **host services** written by ... in a gateway
and to **update** this **service** ... APIs is that no Java **runtime** environment is ...
Cited by 18 - Web Search - BL Direct

System Management With NetScript - group of 4 »

A Purakayastha, A Mohindra - Proceedings of the 12th USENIX conference on System ..., 1998 - usenix.org
... only needs to write a "**Update** Policy" component ... receipt of a script, the NetScript
runtime authenticates the ... principal has execution rights on the local **host**. ...
Cited by 3 - Cached - Web Search

Portable runtime support for graph-oriented parallel and distributed programming - group of 3 »

J Cao, Y Liu, L Xie, K Zhang - Proceedings of the 2000 International Symposium on Parallel ..., 2000 -
doi.ieeecomputersociety.org
... all other kernels so that they can **update** their local ... and spawning a kernel in the
remote **host** when needed ... 3 illustrates internal structure of the **runtime** kernel ...
Cited by 3 - Web Search

The software architecture of a virtual distributed computing environment - group of 5 »

H Topcuoglu, S Hariri, W Furmanski, J Valente, I ... - High Performance Distributed Computing, 1997.
Proceedings. ..., 1997 - ieeexplore.ieee.org
... and resource configuration, and c) application execution and **run- time**. ... path of the

task executable) for each **host** in the ... phase, and execution and **runtime** phase ...
Cited by 19 - Web Search

[PS] Monitoring Quality of Service across Organizational Boundaries - group of 7 »
R Hauck, H Reiser - Linnhoff-Popien, C. und H.-G. Hegering(Herausgeber): Trends ..., 2000 -
wwwhegering.informatik.tu-muenchen.de
... can be enhanced and modied at **runtime**, thus yielding the ... by JDMK enable distribution
and **update** mechanisms to ... by a protocol identi- cator, the **host** address and ...
Cited by 9 - View as HTML - Web Search - BL Direct

Using Distributed Data Structures for Constructing Cluster-Based **Services** - group of 8 »
R Martin, K Nagaraja, TD Nguyen - Proceedings of the First Workshop on Evaluating and ..., 2001 -
cs.rutgers.edu
... are not described by their overall **runtime** but rather ... A lost or delayed **update** implies
that some node may ... closer" to the node currently **hosting** the containing ...
Cited by 2 - View as HTML - Web Search

[PS] Dynamic Resource Management and Automatic Configuration of Distributed Component
Systems - group of 4 »
F Kon, T Yamane, C Hess, R Campbell, MD Mickunas - Proceedings of the 6th USENIX Conference on Object-
Oriented ..., 2001 - usenix.org
... used to work before the **update**, stop functioning. ... their code into the system **run-
time**, it uses ... component congurators representing the **runtime** inter-component ...
Cited by 62 - Web Search

Efficient program tracing
JR Larus - Computer, 1993 - ieeexplore.ieee.org
... in- stance to the local **host** (the **host** can be a ... accepts the call, performs the desired
service, and returns ... x in Figure 2) Instead, the **runtime** system monitors ...
Cited by 96 - Web Search - BL Direct

Supporting Online **Services** in Environments Constrained by Communication - group of 3 »
A Mukherjee - 1998 - reports-archive.adm.cs.cmu.edu
... 76 5.2 Experiment 2: Diff-based Cache **Update** . . ... Oasis proxy server which is capable
of **hosting**, in an ... specialized agent code supplied by **service** providers, end ...
Cited by 1 - View as HTML - Web Search - Library Search

A Distributed-Object Infrastructure for Corporate Websites - group of 10 »
I Kuz, P Verkaik, V Universiteit, M van Steen, HJ ... - Distributed Objects and Applications, 2000. Proceedings.
DOA ..., 2000 - doi.ieeecomputersociety.org
... is the only entity allowed to invoke **update** operations at ... as though it were a regular
host name. ... server both provide address spaces and **runtime services** to LRs ...
Web Search

Building reliable distributed systems with CORBA - group of 7 »
S Landis, S Maffeis - Theory and Practice of Object Systems, 1997 - doi.wiley.com
... The Orbix+Isis **runtime** automatically chooses a member to receive the request by
calling a client side ... **Host** C ... Cohorts can use the reply to **update** local state. ...
Cited by 124 - Web Search

An active middleware to control QoS level of multimedia **services** - group of 7 »
P Bellavista, A Corradi, R Montanari, C Stefanelli - Distributed Computing Systems, 2001. FTDCS 2001.
Proceedings ..., 2001 - ieeexplore.ieee.org
... to control dynamically the QoS level provided at **runtime**. ... established, and all
intermediate nodes **host** the needed ... suspend **service** provision and to **update** and re ...
Cited by 10 - Web Search

Component Interaction in Concurrent and Distributed Systems - group of 2 »
N Pryce, S Crane - Proc. Fourth International Conference on Configurable ..., 1998 - soi.city.ac.uk
... or using shared memory within the same **host**. ... ChannelServiceProxy *proxy = 13 new
Event<**Update**>::ChannelServiceProxy(client ... the lack of true **runtime** typing in ...
Cited by 7 - View as HTML - Web Search

JADE–A FIPA-compliant agent framework - group of 8 »
F Bellifemine, A Poggi, G Rimassa - Proceedings of PAAM, 1999 - csee.umbc.edu
... internal RMI registry on the current **host** listening to a ... message object is serialized
and unserialized by RMI **runtime**. ... calls, the first one to **update** the cache ...
Cited by 406 - View as HTML - Web Search

Design, implementation, and case study of a function level unittest environment - group of 2 »
JD Creasman, CJ Born - Assessment of Quality Software Development Tools, 1992., ..., 1992 -
ieeexplore.ieee.org
... Consequently, the **Host** represents only a small portion of the overall function,
and exists ... The other principle FLUTE component is the FLUTE **Runtime Services**. ...
Web Search

An extensible classification model for distribution architectures of synchronous groupware - group of 6 »
J Roth, C Unger - Proceedings of the Fourth International Conference on the ..., 2000 - wireless-earth.de
... relevant data changes, which in turn **update** its display ... selected from the set of
peers automatically at **runtime**. ... set of servers, each of it **hosting** a component ...
Cited by 11 - View as HTML - Web Search

CoDelivery: An Environment for Distribution of Reusable Components - group of 5 »
GE da Silveira, SL Meira - Technology of Object-Oriented Languages, 2000. TOOLS 33. ..., 2000 - doi.ieeecs.org

... downloaded from the same remote **host** that they ... time intervals for regulating automatic
update and removal ... assembled and integrated on user desktops at **runtime**. ...
Cited by 2 - Web Search

Dynamic adaptation and deployment of distributed components inHadas - group of 4 »
I Ben-Shaul, O Holder, B Lavva - Software Engineering, IEEE Transactions on, 2001 - ieeexplore.ieee.org
... them to be tailored based on current **runtime**- information ... the remote component or
in the **hosting** site ... This is facilitated by the **update** protocol, which supports ...
Cited by 26 - Web Search - BL Direct

Full text html format Html (13 KB)Source Linux Journal archive
D Allen - Linux Journal, 2000 - portal.acm.org
... to properly point to the copy of the Java **Runtime** Environment (1.1.7 ... to Selected
Host", ``Delete Selected Item" and ``**Update** Selected Virtual **Host**". ...
Web Search

Implementation of FIPA Ontology Service - group of 3 »
H Suguri, E Kodama, M Miyazaki, H Nunokawa, S ... - Proceedings of Ontologies in Agent Systems (OAS2001)
at 5th ..., 2001 - ceur-ws.org
... Navigator 4.7 on Mac due to unstable Java **Runtime** Environment ... However, in order to
host the city platform and to be ... we have to work on some major **update** of the ...
Cited by 13 - View as HTML - Web Search

An architecture for managing application **services** over global networks - group of 8 »
G Kar, A Keller - INFOCOM 2001. Twentieth Annual Joint Conference of the IEEE ..., 2001 - ieeexplore.ieee.org
... in the case of the content **hosting** scenario discussed in ... responds to queries and
executes **update** operations obtained ... can keep track of which **services** are being ...

Cited by 4 - Web Search - BL Direct

Supporting quality of service in HTTP servers - group of 8 »
R Pandey, JF Barnes, R Olsson - Proceedings of the seventeenth annual ACM symposium on ..., 1998 -
portal.acm.org
... **runtime** system that manages executions of various method invocations ... between the
WWW Server at the **host** and the ... the qosd so that the qosd can **update** the global ...
Cited by 64 - Web Search

[PS] Design and Application of a Distributed Simulation-and **Runtime**-Platform for Mechatronic Systems in ... - group of 2 »
U Honekamp, R Stolpe - 1995 - wwwcs.upb.de
... Simulation- and **Runtime**-Platform for Mechatronic ... the control center running on the
host computer in ... The function **update**() performs other actions at the major ...
View as HTML - Web Search

Java and the shift to net-centric computing - group of 3 »
MA Hamilton, S Microsyst, CA El Segundo - Computer, 1996 - ieeexplore.ieee.org
... network arid executed in a Java **runtime**, such as ... a single threaded program, the CPU
cannot **update** the screen ... the spec- ified resource from the specified **host**. ...
Cited by 82 - Web Search - BL Direct

Prognostics Framework-**UPDATE** II - group of 2 »
LP Su, M Nolan, G deMare, B Norman - AUTOTESTCON Proceedings, 2000 IEEE, 2000 - ieeexplore.ieee.org
... or distributed level as opposed to the **host** (central) level ... 7. PROGNOSTIC **RUNTIME**
DEMONSTRATION ... 8. PROJECT **UPDATE** The development of the Prognostic Framework ...
Cited by 2 - Web Search

Towards mobile service agents within an advanced broadband IN environment - group of 5 »
M Breugst, L Faglia, O Pyrovolakis, IS Venieris, F ... - Computer Networks, 1999 - telecom.ntua.gr
... This means that the centralized SCPs are used for **hosting** programs that ... such as an
update of a complete instance or just parts of it during its **runtime**. ...
Cited by 2 - View as HTML - Web Search

Scalable Parallel Application Launch on Cplant™ - group of 7 »
R Brightwell, LA Fisk - Supercomputing, ACM/IEEE 2001 Conference, 2001 - ieeexplore.ieee.org
... 2.2 Bebopd The allocator component of the **runtime** system is ... Once the PCT's have finished
host- ing the ... job, they contact bebopd to **update** their availability ...
Cited by 25 - Web Search

Piranha: a CORBA tool for high availability - group of 4 »
S Maffeis - Computer, 1997 - ieeexplore.ieee.org
... the fly, migrates objects from one **host** to another ... Changing the degree at **runtime**
makes sense when a ... to time, the primary object multicasts **update** messages to ...
Cited by 44 - Web Search - BL Direct

Simulation using software agents I: linking spatially explicit parallel continuous and discrete ... - group of 4 »
BK Szymanski, G Chen - Proceedings of the 32nd conference on Winter simulation, 2000 - portal.acm.org
... of effort to define enormous **runtime services** that enable ... Agent **host** Execution Time
Remote computer 134 seconds IBM ... The DoD High Level Architecture: an **update**. ...
Cited by 1 - Web Search - BL Direct

Middleware - group of 10 »
D Bakken - Chapter in Encyclopedia of Distributed Computing, J. Urban ..., 2001 - laas.fr
... œ All MW masks heterogeneity in **host** CPU ... Common Language **Runtime** (CLR) Common Language

Runtime (CLR) ... (VS. NE T) ASP.NET: Web **Services** ASP.NET: Web **Services** ...
Cited by 48 - Web Search

Process hijacking - group of 10 »
VC Zandy, BP Miller, M Livny - Proceedings of the 8th IEEE International Symposium on High ..., 1999 -
doi.ieeecs.org
... 2 we briefly describe the DynInst API, the **runtime** program re ... as it can survive a
crash of the submit **host**, but it ... code patch at the entry point of the original ...
Cited by 35 - Web Search

The Hector distributed run-time environment - group of 3 »
SH Russ, J Robinson, BK Flachs, B Heckel - Parallel and Distributed Systems, IEEE Transactions on, 1998 -
ieeexplore.ieee.org
... steps required to synchronize tasks and **update** the communication ... is able to extract
at **run-time** can improve ... execu- tive process running on each candidate **host**. ...
Cited by 18 - Web Search - BL Direct

An Agent-based Load Balancing Mechanism: PLRM Using Java - group of 4 »
L Lina, L Longguo, Y Xinyu - Technology of Object-Oriented Languages and Systems, 2000. ..., 2000 -
doi.ieeecomputersociety.org
... And the **update** of pre-knowledge base depends on the system maintainer, which could
be very slow and inaccurate. ... 5 **Runtime** Burden Example ... Page 5. a **host** failure. ...
Cited by 2 - Web Search

QoS-aware middleware for ubiquitous and heterogeneous environments - group of 10 »
K Nahrstedt, D Xu, D Wichadakul, B Li - Communications Magazine, IEEE, 2001 - ieeexplore.ieee.org
... the QoS-aware middleware runs in each **host** in the ... In this section we present the
runtime Q0S setup ... PROTOCOL Major steps in Q0S setup include **service** discov- ery ...
Cited by 69 - Web Search - BL Direct

Constructing reliable distributed communication systems with CORBA - group of 22 »
S Maffeis, DC Schmidt - Communications Magazine, IEEE, 1997 - ieeexplore.ieee.org
... crashed, the first client requests the **runtime** system to ... a new instance of the server
on another **host**. ... real- ity, the clients arc submitting **update** requests to ...
Cited by 87 - Web Search - BL Direct

Exploring Customization of Distributed Systems using COM - group of 4 »
YM Wang, PYE Chung - Concurrency Magazine. IEEE, July, 1998 - cmt.research.microsoft.com
... an object instance that it is **hosting**, it can ... This provides the basis for on-line
software **update**. ... The next-generation COM+ **runtime** and **services** [Kirtland97 ...
Cited by 2 - Cached - Web Search

Active trust management for autonomous adaptive survivable systems (ATMs for AAss' s) - group of 3 »
H Shrobe, J Doyle - Proc. International Workshop on Self-Adaptive Software, 2000 - csc.ncsu.edu
... periodic communication with the unknown outside **host** is an ... maximal expected utility
to make **runtime** decisions; the ... the system must first **update** its assessments ...
Cited by 5 - View as HTML - Web Search

[PS] PLAN: A Programming Language for Active Networks - group of 2 »
M Hicks, P Kakkar, JT Moore, CA Gunter, S Nettles - Submitted, November, 1997 - cis.upenn.edu
... become its packet language once we **update** our OCaml ... done once at an originating **host**
rather than ... Finally, applying **runtime** code generation techniques [10] to ...
Cited by 73 - View as HTML - Web Search - BL Direct

Omniware: A universal substrate for web programming - group of 4 »

S Lucco, O Sharp, R Wahbe - Fourth International World Wide Web Conference, 1995 - w3.org
... no longer need to explicitly **update** their software ... code and to allow sophisticated
runtime systems, such ... fault isolation technology, the **host** application can ...
Cited by 47 - Cached - Web Search

A Dynamic Reconfiguration Run-Time System - group of 10 »
J Burns, A Donlin, J Hogg, S Singh, M de Wit - IEEE Symposium on Field-Programmable Custom Computing ...,
1997 - doi.ieeecomputersociety.org
... At **run-time** the **host** makes a calculation to decide ... We now address how the proposed
runtime system will support ... write cycles may be used to **update** functionality ...
Cited by 67 - Web Search

[PS] The LiPS **Runtime** Systems based on Fault-Tolerant Tuple Space Machines
T Setz, T Liefke - Proceedings of the Workshop on **Runtime** Systems for Parallel ..., 1997 - cs.ucdavis.edu
... to the application programmer as no **host** addresses are ... lipsd processes **update** their
own node-state information in ... provided by the LiPS -System **Runtime** System. ...
Cited by 12 - View as HTML - Web Search

An architecture for managing quality of service on broadband networks
AA Lazar, J Biswas, S Bhonsle, W Choe - Singapore ICCS/ISITA'92.'Communications on the Move', 1992 -
ieeexplore.ieee.org
... roposed system is dynamically extensible at **runtime**, and Pus ... which invokes SNMd
management calls to **update** itself ... that is available from the **host** interfaces in ...
Web Search

ANTS: network **services** without the red tape - group of 3 »
D Wetherall, J Guttag, D Tennenhouse - Computer, 1999 - ieeexplore.ieee.org
... Multicast, which lets one **host** communicate with many other hosts by ... When each ANTS
runtime is started, its root thread creates a single ... if so, **update** route and ...
Cited by 42 - Web Search - BL Direct

DCE: an environment for secure client/server computing - group of 5 »
MM Kong - Hewlett-Packard Journal, 1995 - hpl.hp.com
... Finally, each **host** in the cell has a DCE **runtime** library and runs ... CDS Server GDA
Daemon DTS Server DCE Client Daemons and **Run-Time** Library Security Server ...
Cited by 4 - View as HTML - Web Search - BL Direct

E-ADOME: enacting composite E-**services** in an advanced workflow environment - group of 3
»
DKW Chiu, KQ Li - Computer Software and Applications Conference, 2001. COMPSAC ..., 2001 -
ieeexplore.ieee.org
... an extra capability (token) of web-**hosting**, leased line ... The agent can then view or
update the objects ... an agent John, of the Customer **Services** department, is ...
Cited by 1 - Web Search - BL Direct

Java-based automated test systems: management considerations for an open architecture for test
DF Tyler - AUTOTESTCON'99. IEEE Systems Readiness Technology Conference ..., 1999 - ieeexplore.ieee.org
... these factors, the re-**host** and **update** of existing ... problems through the concept of
re-**hosting**, but also ... The **Runtime** Test Environment provides all the facilities ...
Cited by 3 - Web Search

update hosting runtime services   Search

Google Home - About Google - About Google Scholar

©2006 Google

Google Scholar BETA

| update version "runtime library" | 1990 | - | 2001 | Search |

⊙ Search only in Engineering, Computer Science, and Mathematics.

○ Search in all subject areas.

Scholar   Results 1 - 50 of about **388** for <u>update</u> <u>version</u> "runtime <u>library</u>". (0.22 seconds)

<u>Design of OpenMP Compiler for an SMP Cluster</u> - group of 6 »   **All articles** <u>Recent articles</u>
M Sato, S Satoh, K Kusano, Y Tanaka - EWOMP'99, 1999 - hpcs.is.tsukuba.ac.jp
... A. We found that the overhead of OpenMP **version** parallelized by ... The **runtime library**
of thread ... system can support both invalidate protocol and **update** protocol ...
<u>Cited by 64</u> - <u>View as HTML</u> - <u>Web Search</u>

[PS] <u>A Manual for the CHAOS **Runtime Library**</u> - group of 4 »
J Saltz, R Ponnusamy, SD Sharma, B Moon, YS Hwang, ... - 1998 - drum.umd.edu
A Manual for the CHAOS **Runtime Library** ... 75 B.2 Parallel **Version** of Program ... x. Hence,
a processor may need an o-processor array element of x to **update** an element ...
<u>Cited by 53</u> - <u>View as HTML</u> - <u>Web Search</u> - <u>Library Search</u>

<u>Implementation and performance of Munin</u> - group of 23 »
JB Carter, JK Bennett, W Zwaenepoel - Proceedings of the thirteenth ACM symposium on Operating ..., 1991 -
portal.acm.org
... protocol release consistency is implemented in software using a delayed **update** queue
that buffers ... of a **version** of the V kernel [11] that allows user threads to ...
<u>Cited by 592</u> - <u>Web Search</u> - <u>Library Search</u>

<u>An API for Runtime Code Patching</u> - group of 11 »
B Buck, JK Hollingsworth - International Journal of High Performance Computing ..., 2000 - hpc.sagepub.com
... used to compile instrumentation code and patch programs at ... to the write function
in the C **runtime library** and then ... to the wall clock time under gdb **version** 4.17 ...
<u>Cited by 192</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Managing **update** conflicts in Bayou, a weakly connected replicated storage system</u> - group of
48 »
DB Terry, MM Theimer, K Petersen, AJ Demers, MJ ... - Proceedings of the fifteenth ACM symposium on
Operating ..., 1995 - portal.acm.org
... checking mechanism is more powerful than the traditional use of **version** vectors
since ... expected values of any data items on which the **update** depends, including ...
Cited by 504 - <u>Web Search</u> - <u>BL Direct</u>

[PS] <u>The GNU Ada **Runtime Library** (GNARL): Design and implementation</u> - group of 4 »
EW Giering, TP Baker - Proceedings of the Washington Ada Symposium, 1994 - www-ftp.lip6.fr
... The GNu Ada **Runtime Library** (GNARL) is an im- plementation of Ada 9X tasking for ...
inter- face developed by the PART project over the SunOS 4.1 **version** of UNIX 4 ...
<u>Cited by 11</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>Fast RPC on the SHRIMP Virtual Memory Mapped Network Interface</u> - group of 7 »
A Bilas, EW Felten - Journal of Parallel and Distributed Computing, 1997 - ics.forth.gr
... specializes the stub generator and **runtime library** to take ... transfers, provided that
the ordinary, blocking **version** of the deliberate-**update** send operation is ...
<u>Cited by 19</u> - <u>View as HTML</u> - <u>Web Search</u> - <u>BL Direct</u>

[PS] <u>Parallelization of irregular codes including out-of-core data and index arrays</u> - group of 2 »

P Brezany, A Choudhary, M Dang - Proceedings of Parallel Computing, 1997 - 128.4.131.29
... the number of I/Os needed to **update** this node ... core, the implementation uses standard
CHAOS **runtime library**; OOC no ... was activated during the in-core **version** runs ...
Cited by 10 - View as HTML - Web Search

[PS] Multiple data parallelism with HPF and KeLP - group of 9 »
J Merlin, S Baden, S Fink, B Chapman - FUTURE GENER COMPUT SYST, 1999 - cs.ucsd.edu
... The constructor for this class performs the SHPF **runtime library** initialisation
for the ... To initialise and **update** the grids it invokes the HPF subroutines ...
Cited by 12 - View as HTML - Web Search - BL Direct

The GNU Ada **runtime library** (GNARL)
EW Giering III, TP Baker - Proceedings of the eleventh annual Washington Ada symposium ..., 1994 -
portal.acm.org
... The GNU Ada **Runtime Library** (GNARL) is an im- plementation of Ada 9X tasking for ...
inter- face developed by the PART project over the SunOS 4.1 **version** of UNIX4[9 ...
Cited by 5 - Web Search

[PS] Compiling data-parallel programs to a distributed runtime environment with thread
isomigration - group of 7 »
G Antoniu, L Bouge, R Namyst, C Perez - Parallel Processing Letters, 2000 - bretagne.ens-cachan.fr
... remote processes the values necessary to **update** it (Owner ... It is based on a modified
version of the ... Most changes are located in the **runtime library**, and are ...
Cited by 8 - View as HTML - Web Search - BL Direct

[PS] NAMD: A Case Study in Multilingual Parallel Programming - group of 7 »
LV Kale, M Bhandarkar, R Brunner, N Krawetz, J ... - of: Proc. 10th International Workshop on Languages and
..., 1997 - ks.uiuc.edu
... been implemented as a source-level translator to C++ and a **runtime library**. ... Table
2. NAMD clearly performs better than its earlier **version**, and X ... begin patch ! ...
Cited by 11 - View as HTML - Web Search - BL Direct

Cluster-enabled OpenMP: An OpenMP compiler for the SCASH software distributed shared
memory system - group of 3 »
M Sato - Scientific Programming, 2001 - IOS Press
... 3.2. OpenMP directive translation and the **runtime library** ... and transfered at barrier
points to **update** the page ... is the NAS parallel bench- mark CG (**version** 1) of ...
Cited by 9 - Web Search - BL Direct

Runtime and Language Support for Compiling Adaptive Irregular Programs on Distributed-
memory ... - group of 5 »
YS Hwang, B Moon, SD Sharma, R Ponnusamy, R Das, ... - Software - Practice and Experience, 1995 -
cs.ubc.ca
... of references with time stamps a and c. PARTI, the **runtime library** that preceded ...
J) END DO END DO Integrate Newton's Equations and **Update** Atom Coordinates ...
Cited by 61 - View as HTML - Web Search - BL Direct

The ISI visual design editor generator - group of 6 »
NM Goldman, RM Balzer - Visual Languages, 1999. Proceedings. 1999 IEEE Symposium on, 1999 -
ieeexplore.ieee.org
... independently written modules to read and **update** almost any ... is the case with
conventional **runtime library** components ... How will a new **version** of PowerPoint impact ...
Cited by 22 - Web Search

The Cedar System And An Initial Performance Study - group of 5 »
D Kuck, E Davidson, D Lawrie, A Sameh, CQ Zhu, A ... - Computer Architecture, 1993. Proceedings of the 20th

Annual ..., 1993 - ieeexplore.ieee.org
... in the im- plementation of the **runtime library**, where they ... primitive which computes
a rank-64 **update** to an ... Specifically: in the GM/no-pref **version** all vector ...
Cited by 39 - Web Search - BL Direct

Tripod: a comprehensive system for the management of spatial and aspatial historical objects - group of 2 »

T Griffiths, AAA Fernandes, NW Paton, B Huang, M ... - Proceedings of the ninth ACM international symposium
on ..., 2001 - portal.acm.org
... The persistent store **runtime library** contains the functionality needed to ... created
using an extended **version** of the C++ ... to create, **update** and delete objects (ie ...
Cited by 19 - Web Search

[PS] Design and Implementation of an On-line Software **Version** Change System for Objective-C

K Sunil - 1997 - cse.iitk.ac.in
... system can **update** all system components including kernel ... program **version** right from
the very beginning ... as an interface between the user and the **runtime library**. ...
Cited by 1 - View as HTML - Web Search

Implementing ML on distributed memory multiprocessors - group of 2 »

P Bailey, M Newey - ACM SIGPLAN Notices, 1993 - portal.acm.org
... Processes may **update** data structures within their own ... Currently the **runtime library**
modifications (based on the SML2C ... implemented in a prototype **version** of the ...
Cited by 5 - Web Search - BL Direct

[BOOK] The Linux/ia64 Project: Kernel Design and Status **Update**. - group of 8 »

S Eranian, D Mosberger - 2000 - hwswworld.com
Page 1. The Linux/ia64 Project: Kernel Design and Status **Update** ... Page 2. The
Linux/ia64 project: kernel design and status **update** Stephane Eranian David Mosberger ...
Cited by 5 - View as HTML - Web Search - Library Search - BL Direct

[BOOK] Object-oriented Runtime Support for Complex Distributed Data Structures - group of 4 »

C Chang, A Sussman, J Saltz - 1995 - bmi.ohio-state.edu
... 3 The CHAOS++ **Runtime Library** ... permanent **version** of the object or a copy of a remote
object ... data exchange routines, and decisions about when to **update** a ghost ...
Cited by 11 - View as HTML - Web Search - Library Search

Client-server computing on Shrimp - group of 2 »

SN Damianakis, A Biles, C Dubnicki, EW Felten - Micro, IEEE, 1997 - ieeexplore.ieee.org
... t do much since automatic **update** requires explicit ... further, we implemented an
incompatible **version** of RPC. ... the stub generator and **runtime library** with Shrimp ...
Cited by 14 - Web Search - BL Direct

An Overview of Common Benchmarks - group of 5 »

RP Weicker - Computer, 1990 - doi.ieeecs.org
... The numbers for the Fortran **version** should be similar. ... performance to a high degree,
manufacturers can be tempted to manipulate the **runtime library** for Whet ...
Cited by 43 - Web Search

Javelin: internet-based parallel computing using Java - group of 9 »

BO Christiansen, P Cappello, MF Ionescu, MO Neary, ... - Concurrency - Practice and Experience, 1997 -
doi.wiley.com
... However, in this **version** we do not concentrate on this issue. ... Load-balancing **runtime
library** ... We have experienced that this optimistic **update** usually results in ...
Cited by 117 - Web Search - BL Direct

Unix as an Application Program - group of 15 »
D Golub, R Dean, A Forin, R Rashid - USENIX 1990 Summer Conference, 1990 - srl.cs.jhu.edu
... similar to that of the standard C **runtime library**. ... is used to allow the Emulation
Library to **update** state information ... made it optional with the **version** of the ...
Cited by 163 - View as HTML - Web Search

A Parallel Java Grande Benchmark Suite - group of 12 »
LA Smith, JM Bull, J Obdrizalek - Supercomputing, ACM/IEEE 2001 Conference, 2001 - ieeexplore.ieee.org
... the directives to calls to a **runtime library**, which in ... The serial **version** of this
benchmark performs 100 ... In order to **update** elements of the principle array ...
Cited by 18 - Web Search

Optimizing irregular HPF applications using halos - group of 7 »
S Benkner - Concurrency Practice and Experience, 2000 - doi.wiley.com
... These schedules are then used to perform **UPDATE** HALO and ... the inspector/executor paradigm
[3,4]. The VFC **runtime library** utilizes an extended **version** of the ...
Cited by 22 - Web Search - BL Direct

PCRC-based HPF compilation - group of 6 »
G Zhang, B Carpenter, G Fox, X Li, X Li, Y Wen - 10th International Workshop on Languages and Compilers for
..., 1997 - new-npac.org
... use of DAD inquiry functions provided in the **runtime library**, is important ... Figure
5: Laplace **update**. ... the new NPAC compiler the PGI HPF compiler, **version** 2.0. ...
Cited by 21 - View as HTML - Web Search - BL Direct

A tool for constructing service replication systems - group of 7 »
L Wang, W Zhou - Technology of Object-Oriented Languages and Systems, 1999. ..., 1999 - ieeexplore.ieee.org
... as an **update** operation. The rest ... object) and server surrogate files to form
the replica side program. The PPRS **Runtime Library** System. ...
Web Search

Memory management with explicit regions - group of 8 »
D Gay, A Aiken - Proceedings of the ACM SIGPLAN 1998 conference on ..., 1998 - portal.acm.org
... of Section 3 and cooperates with the **runtime library** to maintain ... We also have a modified
version of our ... writes to local variables never **update** reference counts ...
Cited by 84 - Web Search - Library Search

Parallelizing molecular dynamics programs for distributed-memory machines - group of 7 »
YS Hwang, R Das, JH Saltz, M Hodoscek, BR Brooks - Computational Science and Engineering, IEEE [see also
..., 1995 - ieeexplore.ieee.org
... ture of molecular dynamics simula- tion code from the sequential **version** of Charmm. ...
END LX) __ DO Integrate Newton' a equations and **update** atom coordinates ...
Cited by 61 - Web Search - Library Search

Runtime support and compilation methods for user-specified irregular data distributions - group of 15 »
R Ponnusamy, J Saltz, A Choudhary, YS Hwang, G Fox - IEEE Transactions on Parallel and Distributed Systems,
1995 - doi.ieeecomputersociety.org
... 5 presents a simplified one dimensional **version** of this code. ... in array x. Hence,
a processor may need an off-processor array element of x to **update** an element ...
Cited by 63 - Web Search - Library Search - BL Direct

Practical data breakpoints: design and implementation
R Wahbe, S Lucco, SL Graham - ACM SIGPLAN Notices, 1993 - portal.acm.org
... write instruction in the program that might **update** that memory location. ... Our system
consists of a program analysis tool and a **runtime library**. ...

Cited by 30 - Web Search - BL Direct

Survey of Languages and Runtime Libraries for Parallel Discrete-Event Simulation - group of 7 »

YH Low, CC Lim, W Cai, SY Huang, WJ Hsu, S Jain, S ... - Simulation, 1999 - cs.utexas.edu
... A sequential **version** of ModSim, MODSIM II [27], was later developed and ... However,
the **runtime library** implementing the con- servative distributed discrete-event ...
Cited by 18 - View as HTML - Web Search - BL Direct

[PS] Software Distributed Shared Memory over Virtual Interface Architecture: Implementation and ... - group of 5 »

M Rangarajan, L Iftode - Proc. Third Extreme Linux Workshop, 2000 - cs.rutgers.edu
... Software DSM [19] is available to applications as a **runtime library** that provides
the ... the di from the di buer onto the page and **update** the **version** of the ...
Cited by 34 - View as HTML - Web Search

[BOOK] High Performance Support for OO Traversals in Monet - group of 5 »

PA Boncz, F Kwakkel, ML Kersten - 1995 - wins.uva.nl
... It measures traversal-, **update**- and query evaluation performance for ... A **version** of
Monet designed to exploit e ... an ODL parser and an ODMG **runtime library** to be ...
Cited by 18 - View as HTML - Web Search - Library Search

Automating the Construction of Replicated Objects in a Cluster of Workstations - group of 4 »

W Zhou, L Wang - Cluster Computing and the Grid, 2001. Proceedings. First ..., 2001 -
doi.ieeecomputersociety.org
... HostName, String IPAddress); **update** public void updateHostName (String OldHost,
String NewHost); **update** public void ... HNS.java rgidlgen RGIDL **runtime library** ...
Web Search

VFC: The Vienna Fortran Compiler

S Benkner - Scientific Programming, 1999 - IOS Press
... data and work distribu- tions offered by the latest **version** of the ... high-level
communication directive UPDATE_HALO results in communication to **update** the halo ...
Cited by 57 - Web Search - BL Direct

Smiley-an interactive tool for monitoring inter-module function calls - group of 4 »

NM Goldman - Program Comprehension, 2000. Proceedings. IWPC 2000. 8th ..., 2000 - ieeexplore.ieee.org
... pipe, socket, mailslot, RPC, DDE, and COM communications • GUI operations, including
message posting and handling • C **runtime library** calls • access to ...
Cited by 4 - Web Search

Titanium: A high-performance Java dialect - group of 16 »

K Yelick, L Semenzato, G Pike, C Miyamoto, B ... - Concurrency Practice and Experience, 1998 - doi.wiley.com
... The current **version** of the Titanium language, and ... the grid generator recomputes the
patch hierarchy based ... overheads for our parallel **runtime library** are minimal ...
Cited by 167 - Web Search

[PS] Shared Virtual Memory: A Survey

W Shi, W Hu, Z Tang - Center of High Performance Computing, Institute of Computing ..., 1998 - ict.ac.cn
... user level **runtime library** will detect the page ... problem: a tuple must be removed
from the tuple space before an **update**, and the modied **version** is reinserted ...
Cited by 7 - View as HTML - Web Search

IBM Graphical Locale Builder

S Atkin, K Borgendale - 12th International Unicode Conference, 1998 - cs.fit.edu
... Builder is a part of ULS that enables users to **update** locales using ... C **Runtime Library**

Support OS/2 Warp **Version** 4 includes aC runtime dynamic link library with ...
Cited by 1 - View as HTML - Web Search

[PS] Interactive instrumentation and tuning of OpenMP programs - group of 2 »
MJ Voss, KW Yau, R Eigenmann - Proc. of PDPTA 2000 (Parallel and Distributed Processing ..., 2000 -
min.ecn.purdue.edu
... the interactive selection of the **runtime library** used for ... as well as requests to
update tunable variables. ... OMPcl is a completely overhauled **version** of the PCL. ...
Cited by 3 - View as HTML - Web Search

Portable profiling and tracing for parallel, scientific applications using C++
S Shende, AD Malony, J Cuny, P Beckman, S Karmesin ... - Proceedings of the SIGMETRICS symposium on
Parallel and ..., 1998 - portal.acm.org
... Secondly, C++ is being tested for use in parallel and distributed execution at several
different levels: **runtime, library,** system, and language. ...
Cited by 70 - Web Search

A comparison of message passing and shared memory architectures fordata parallel programs
- group of 4 »
AC Klaiber, HM Levy - Computer Architecture, 1994. Proceedings the 21st Annual ..., 1994 - ieeexplore.ieee.org
... on a multiprocessor, with the **runtime library** effectively simulating ... In the
write-**update** protocol several nodes may ... compiler, based on a newer **version** of the ...
Cited by 19 - Web Search - BL Direct

GNU MP - group of 90 »
T Granlund, AB Swox - The GNU Multiple Precision Arithmetic Library, 1996 - swox.se
... Build Options], page 4) requires 'libgmp.la' from the same GMP **version**, since this ...
inst/dir/lib/libgmp-3.exp MINGW uses the C **runtime library** 'msvcrt.dll ...
Cited by 45 - View as HTML - Web Search

Proteus: a runtime reconfigurable distributed shared memory system - group of 5 »
JC Ueng, CK Shieh, WH Liu, CC Lin - High Performance Distributed Computing, 1999. Proceedings. ..., 1999 -
ieeexplore.ieee.org
... Furthertitore, a forced **update** technique arid a set of scalable sytichronizatioit ...
Proteus consists of a set of **runtime library** that provides a shared address ...
Web Search

Java Security: From HotJava to Netscape and Beyond - group of 38 »
D Dean, EW Felten, DS Wallach - Proceedings of the IEEE Symposium on Security and Privacy, 1996 -
doi.ieeecs.org
... Netscape has since issued a patch to fix this problem. ... The Windows 95 **version**
additionally al- lows writing (but not reading) in the \TEMP directory. ...
Cited by 243 - Web Search - BL Direct

Jovian: a framework for optimizing parallel I/O - group of 7 »
R Bennett, K Bryant, A Sussman, R Das, J Saltz - Scalable Parallel Libraries Conference, 1994., Proceedings ...,
1994 - ieeexplore.ieee.org
... structure (perhaps through calls to a **runtime library** such as ... also involves generat-
ing code to **update** the descriptor ... have access to a coherent **version** of the ...
Cited by 69 - Web Search - Library Search

Monitors and exceptions: how to implement Java efficiently - group of 9 »
A Krall, M Probst - Concurrency - Practice and Experience, 1998 - doi.wiley.com
... To answer this question,we have used a modified **version** of kaffe to gather ... in the
constant area is used to restore the registers and **update** the stack pointer. ...
Cited by 43 - Web Search

Goooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8   **Next**

| update version "runtime library" | Search |

Google Home - About Google - About Google Scholar

©2006 Google

Search

Full Text

Concept

Document ID

Recent Disclosures

Other

Prior Art Home

Support

Logout

☒ Web-Stat hit counters

Displaying records #41 through 50 out of 500
(search stopped at 500 hits)

Result # 41   Relevance: ◑

Communication Between Non-Presentation Manager Application And Officevision/2 Release 2

1991-06-01   IPCOM000120749D   English

This article describes a method of communication between a non-Presentation Manager application and OfficeVision*/2 Release 2 (OV2R2) via an interface program. This interf translates the OV2R2 requests to the non-PM application and offers an opportunity ...

Result # 42   Relevance: ◑

Run Time Environment Support for the Extended Services DOS Client . Enabler

1993-08-01   IPCOM000105674D   English

Disclosed is a technique that enhances the ability of Micro Focus COBOL/2 programmer Database Client application programs that access IBM Extended Services with Database OS/2* databases. The application programming interface (API) shipped with the ...

Result # 43   Relevance: ◑

Calling CosTransactions::Synchronization Interface when Root Coordi not Support these Objects

2001-02-01   IPCOM000013013D   English

There are a number of transaction service standards available today. For example, COR X/Open's XA, Microsoft's COM/MTS/COM+, Sun's JTS. Most provide the ability for arbitr software (that support one or more predefined interface(s) with their associated ...

Result # 44   Relevance: ◑

Providing Distributed Computing Environment Client/Server Naming (Inexpensive OS/2 Product

1995-03-01   IPCOM000115174D   English

Disclosed is a design which provides Distributed Computing Environment (DCE) naming capability on OS/2* which does not require the full set of DCE services or the full Open Foundation (OSF) DCE licensing requirements.

Result # 45   Relevance: ◑

Architecture for a Distributed Computing Environment Test Applicatio Harmonic

1996-06-01   IPCOM000117865D   English

Disclosed is the architecture for a Distributed Computing Environment (DCE) test applic Harmonic.

Result # 46   Relevance: ◑

Improved User Application Management

1992-02-01   IPCOM000107429D   English

Disclosed is a method to improve the speed of handling Public and Private Applications OS/2* LAN Server. This new method allows updates to the definitions of applications to

quicker and more efficiently than before.

Result # 47   Relevance: ○

Architecture Design for Component Separation of Client/Server Appli
1993-03-01   IPCOM000104170D   English
Described is an architecture for designing client/server application which is based on th
the application into three distinct pieces:

Result # 48   Relevance: ○

Client Server Algorithm for Distributed Libraries
1992-07-01   IPCOM000109032D   English
Disclosed is a means of transaction management for distributed data applications when
impractical to apply methods such as those imbedded in distributed database managen

---

Result # 49   Relevance: ○

Inter-Operation with Wide Area Desktop Conferencing Standard T.12(
1995-10-01   IPCOM000116575D   English
T.120 is the proposed ITU standard for desk top conferencing. It is highly desirable tha
architecture for Real-time Multi-media Communications (RTMMC), which includes desk
conferencing, is interoperable with the proposed standard. Since the RTMMC application

---

Result # 50   Relevance: ○

Application Programming Interfaces for Managing User Desktop Appli
1993-09-01   IPCOM000106106D   English
Disclosed is a method for managing LAN Server applications on a user's desktop.

Search A method of operation in an application service provision apparatus havir
query: service provision runtime library with multiple versions. The method inclu
a first update service of a first version of the application service provisior
request to update an application to a second later version of the runtime
second update service of the second later version of the runtime library u
application to the second later version of the runtime library

Language: English

Published 7-24-2001 (Original publication date)
Before:

New search | Modify this search

IP.com
PriorArtDatabase

Secur

June 29, 2006

USPTO

Search

Full Text

Concept

Document ID

Recent Disclosures

Other

Prior Art Home

Support

Logout

[x] Web-Stat hit counters

Displaying records #121 through 130 out of 500
(search stopped at 500 hits)

Result # 121   Relevance: ○

Enabling Contextual Data Search in a Folder to a Specified Level of Ne

1989-10-01   IPCOM000036590D   English

A method is described which enables contextual data searching of all the documents wi
for a specified level of nesting. A folder of information can be thought of as a collection
similar to a folder in a filing cabinet.

Result # 122   Relevance: ○

Notification Control Object for Asynchronous Request Queue

1990-10-01   IPCOM000103341D   English

This article describes a method whereby an enterprise can specify processing circumsta
which an enterprise will be notified after completion of an asynchronous request.

Result # 123   Relevance: ○

OS/2 Office Service Location Table

1992-11-01   IPCOM000110238D   English

The disclosed program supports an OS/2* office service location routing table for use b
communications layer to initiate conversations with a local or remote service.

Result # 124   Relevance: ○

**Security, License Management and Application Metering Process for C
Applications in the DOS Environment**

1994-11-01   IPCOM000114099D   English

A method for performing security, license management, application control and applica
functions in the DOS environment is disclosed. This method utilizes a small (less than 1
Terminate and Stay Resident (TSR) program to detect program execution and to ...

Result # 125   Relevance: ○

Progress Monitor Object for Status Updates during Long-Term Tasks

1996-07-01   IPCOM000117955D   English

Disclosed is a method for passing status information (both text messages and absolute
from within an object performing a long sequence of tasks to a software application. Th
useful for programmers who want to build applications that give constant, ...

Result # 126   Relevance: ○

A method to invoke a method over process substituted for Java RMI i

2000-05-01   IPCOM000014238D   English

Disclosed is a method for invoking a method over process within a machine substitued
(Remote Method Invocation)Interface, Java RMI is packaged in JDK1.1. The structure t
method: The server substituted for Java RMI server is called ...

Result # 127   Relevance: ○

Management of Java* Classpath Definitions for Multiple Applications

1998-11-01   IPCOM000123420D   English

A Java* application consists of main class and a set of referenced classes and resource:
referenced classes/resources are defined in the context of a classpath which is a sequel
elements, each of which is a filesystem that contains the class/resource names. The ...

Result # 128   Relevance: ○

Message Definition Language

2000-12-01   IPCOM000014531D   English

Current generation messaging systems or Message-Oriented-Middleware (MOM) provid(
reliable communication of messages from one system to another, for putting messages
getting messages from queues, publishing and

Result # 129   Relevance: ○

Method for Changing OfficeVision/2 Properties in Applications Using ! PM OfficeVision/2 Release 2 Developer's Toolkit

1991-12-01   IPCOM000122415D   English

This article describes a method for allowing OfficeVision*/2 industry applications create
Smalltalk/V** PM OfficeVision/2 Release 2 Developer's Toolkit, to reflect changes made
properties made in OfficeVision/2 immediately.

Result # 130   Relevance: ○

Safe Mechanism for Installing Operating System Updates with Applica

1998-01-01   IPCOM000122927D   English

Disclosed is a safe mechanism for updating operating system modules and components
prerequisite applications when an application program is installed on a computer syster
the operating system or other prerequisite components can be performed on a module

---

Displaying page 13 of 50   << FIRST | < BACK | NEXT > | LAST >>

Search query: A method of operation in an application service provision apparatus havir service provision runtime library with multiple versions. The method inclu a first update service of a first version of the application service provisior request to update an application to a second later version of the runtime second update service of the second later version of the runtime library ι application to the second later version of the runtime library

Language: English

Published Before: 7-24-2001 (Original publication date)

New search | Modify this search